3BSE018172R1 1/3



PRODUCT-DETAILS

3BSE018172R1

SB822 Rechargeable Battery Unit



General Information	
Product ID	3BSE018172R1
ABB Type Designation	SB822
Catalog Description	SB822 Rechargeable Battery Unit
Long Description	External DIN-rail mounted rechargeable battery unit including lithium-ion battery, 24V DC connector and connection cable TK821V020. Equivalent amount of Lithium metal is 0.8g (0.03oz)

Additional Information	
Medium Description	External DIN-rail mounted rechargeable battery unit including lithium-ion battery, 24V DC connector and connection cable TK821V020. Equivalent amount of Lithium metal is 0.8g (0.03oz)
Product Type	Power_Supply

Ordering

HS Code

3BSE018172R1 2/3

ACCESSORIES OF SUCH ARTICLES; Electric accumulators, including separators therefor, whether or not rectangular (including square); Lithium -ion

Customs Tariff Number	85076000
Customs Tariff Number	850760

Dimensions	
Product Net Depth / Length	184.5 mm
Product Net Height	139.5 mm
Product Net Width	76.5 mm
Product Net Weight	0.55 kg

External Classifications and Standards	
Dangerous Goods UN Classification	Class 9: Miscellaneous Dangerous Substances and Articles, Including Environmentally Hazardous Substances
Dangerous Goods UN Number	UN3481-PI967

Environmental Environmental	
RoHS Status	Following EU Directive 2011/65/EU
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Number of Batteries	1
Battery Chemical Composition	Lithium-lon
Battery Type	Portable
Battery Weight	0.78 g
SCIP	d963b197-73a2-4edd-a050-1992b0d4bf7a Sweden

Categories

3BSE018172R1 3/3

 $\textbf{Control System Products} \rightarrow \textbf{Power Supply Products} \rightarrow \textbf{DIN-railed Power} \rightarrow \textbf{DIN-railed Power} \rightarrow \textbf{Battery Units} \rightarrow \textbf{SB822 Rechargeable Power}$ Battery Units → SB822 Rechargeable Battery Unit Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Power Supplies

Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Power Supplies

Control Systems ightarrow 800xA ightarrow System ightarrow 800xA System ightarrow 800xA 6.0 System ightarrow Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M $5.0 \rightarrow$ Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 5.1 \rightarrow Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M \rightarrow Power Supplies

Control Systems $ightarrow 800 \text{XA}
ightarrow \text{Controllers}
ightarrow \text{AC } 800 \text{M} \ \text{Hardware}
ightarrow \text{AC } 800 \text{M} \ \text{Hardware} \ 4.1
ightarrow \text{Power Supplies}$

Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.0 \rightarrow Power Supplies

Control Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC 800M Hardware \rightarrow AC 800M Hardware 5.1 \rightarrow Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M 4.1 \rightarrow Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M \rightarrow Power Supplies

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M $5.1 \rightarrow$ Power Supplies

